



I Verglasung Wandanschluss und Sparren / Glazing Wall Connection and Rafter




Glasdicke glass thickness	Glasleiste glazing profile	Dichtung sealing profile	Spalt seal gap	Verglasungsklotzbreite width of glazing shim
8 mm	5-13-70-x	25-0-1005-x	5.5 mm	30 mm
10 mm	5-13-73-x	25-0-1006-x	7.5 mm	30 mm
12 mm	5-13-73-x	25-0-1005-x	5.5 mm	30 mm
26 mm	5-13-76-x	25-0-1006-x	7.5 mm	40 mm
28 mm	5-13-76-x	25-0-1005-x	5.5 mm	40 mm

I Verglasung Traufe / Glazing Eaves



Glasdicke glass thickness	Linsen-Blechschaube DIN 7981-M4.8 x L = ...A2 sheet metal screw stainless steel DIN 7981-M4.8 x L = ...A2	Verglasungsklotzbreite width of glazing shim
8 mm	L = 19 mm - 20-0-201-x	10 mm
10 mm	L = 19 mm - 20-0-201-x	10 mm
12 mm	L = 25 mm - 20-0-278-x	20 mm
26 mm	L = 38 mm - 20-0-39-x	20 mm
28 mm	L = 38 mm - 20-0-39-x	20 mm

I Verglasung Sprosse und First / Glazing Pane Division & Ridge



Glasdicke glass thickness	Maß „X“ dimension „X“	Dichtung sealing profile	Füllstück PVC-profile	Linsen-Blechschrabe DIN 7983-M4.8 x L = ...A2 sheet metal screw stainless steel DIN 7983-M4.8 x L = ...A2
8 mm	./.	5 mm 25-13-05-x	./.	L = 19mm - 20-0-255-x
10 mm	./.	7 mm 25-13-04-x	./.	L = 19mm - 20-0-255-x
12 mm	./.	9 mm 25-13-06-x	./.	L = 25mm - 20-0-256-x
26 mm	20 mm	3 mm 25-13-03-x	KS-Füllprofil 20/22 - 5-13-25-x PVC-profile 20/22 - 5-13-25-x	L = 38mm - 20-0-238-x
28 mm	22 mm	5 mm 25-13-05-x	KS-Füllprofil 20/22 - 5-13-25-x PVC-profile 20/22 - 5-13-25-x	L = 38mm - 20-0-238-x